



Corrigendum

Corrigendum to Electrospun adherent-antiadherent bilayered membranes based on crosslinked hyaluronic acid for advanced tissue engineering applications



M. Arnal-Pastor^a, C. Martínez Ramos^a, M. Pérez Garnés^a, M. Monleón Pradas^{a,b}, A. Vallés Lluch^{a,*}

^a Center for Biomaterials and Tissue Engineering, Universitat Politècnica de Valencia, C. de Vera s/n, 46022 Valencia, Spain

^b Networking Research Center on Bioengineering, Biomaterials and Nanomedicine, Valencia, Spain

The authors regret that the Acknowledgments section was incomplete in this article. The correct Acknowledgment section is presented below. The authors would like to apologize for any inconvenience caused.

Acknowledgments

The authors acknowledge the financing through project FP7 NMP3-SL-2009-229239 “Regeneration of Cardiac Tissue Assisted by Bioactive Implants” (RECATABI). MAP acknowledges the Spanish Ministry of Education for its support through grant FPU AP2009-1870.

DOI of original article: <http://dx.doi.org/10.1016/j.msec.2013.05.058>.

* Corresponding author.

E-mail addresses: mmonleon@ter.upv.es (M.M. Pradas), avalles@ter.upv.es (A.V. Lluch).